MAGWINCHLINE



QUALITY. INNOVATIONS. EXPERIENCE

The Leader in Rope Production in Eastern Europe











MAGWINCHLINE

MagWinchLine rope is certified by Germanischer Lloyd



		28	32		40	42	44		
g/m	140	160	200	270	340	360	400	450	500
	350			750	880	930	1000	1200	1300
ø mm	50	54	56	58	60	62	64		
g/m	540	630	700	720	760	800	880		
MBL, kN	1380	1530	1690	1730	1830	1900	2050		

Any other length is available on customer's reques


standard length of rope in coil is 100 m, 110 m, 220 n



MagWinchline is a double braided combination rope, which was specially designed to be used in winches. The high strength characteristics and low elongation make this rope attractive for use in single-drum and self-tensioning winches. Well balanced non-kinking construction combines 16-strand core made of polyolefin fibers and tightly braided cover made of mixed fibers with excellent UV-resistance. The presence of Polyester yarns in cover of the rope significantly increases the resistance to abrasion and high temperatures. MagWinchline retains shape with use and it could be widely used on cruise ships, ferries, Ro-Ro vessels, car carriers and tankers.

MAGWINCHLINE

MagWinchLine rope is certified by Germanischer Lloyd



		28	32		40	42	44		
g/m	240	260	300	370	440	460	500	550	600
	350			750	880	930	1000	1200	1300
ø mm	50	54	56	58	60	62	64		
g/m	640	730	800	820	860	900	980		
MBL, kN	1380	1530	1690	1730	1830	1900	2050		

Any other length is available on customer's request

standard length of rope in coil is 100 m, 110 m, 220 m



Our Customers



Magistr's Partners for Business Excellence





memmingen

The Leader in Rope Production in Eastern Europe

MAGISTR CONTACTS HEAD OFFICE

19 Kandavas Street, Daugavpils, LV-5401 Tel.: +371 654 28578 Fax: +371 654 29275 e-mail: magistr@magistr.lv

www.magistr.lv